Index of Authors

ADAMS, B. W. and MEAD, G. C. Comparison of media and methods for counting *Clostridium perfringens* in poultry meat and further-processed products, 151

ADLER, B. and FAINE, S. Immunogenicity of boiled compared with formalized leptospiral vaccines in rabbits, hamsters and humans, 1

APOSTOLOV, K. The effects of iodine on the biological activities of myxoviruses, 381

ARAI, TERUYOSHI, IKEJIMA, NOBUYUKI, ITOH, TAKESHI, SAKAI, SENZO, SHIMADA, TOSHIO and SAKAZAKI, RIICHI. A survey of *Plesiomonas shigelloides* from aquatic environments, domestic animals, pets and humans, 203

AWAD, Z. A. *see* BAIRD, ROSAMUND M.

BAIRD, ROSAMUND M., AWAD, Z. A., SHOOTER, R. A. and NOBLE, W. C. Contaminated medicaments in use in a hospital for diseases of the skin, 103

BARKER, RUTH, OLD, D. C. and SHARP, J. C. M. Phage type/biotype groups of *Salmonella typhimurium* in Scotland 1974–6: variation during spread of epidemic clones, 115

BARNHAM, M., KERBY, J. and SKILLIN, J. An outbreak of streptococcal infection in a chicken factory, 71

BARRELL, R. A. E. and ROWLAND, M. G. M. Commercial milk products and indigenous weaning foods in a rural West African environment: a bacteriological perspective, 191

BENEDIKTSDÓTTIR, E. *see* HAMBRAEUS, A.

BETTELHEIM, K. A., WILSON, M. W., SHOOTER, R. A. and O'FARRELL, S. M. Studies on the enterotoxigenicity of environmental *Escherichia coli*, belonging to serotypes normally considered enterotoxigenic, 411

BOUGHTON, C. R. *see* HAWKES, R. A.

BOUGHTON, E. *see* THORNS, C. J.

BOWKER, C. *see* FREESTONE, D. S.

BRAYSON, JANET C. *see* COOKE, E. MARY

BREWER, R. A. *see* CORBEL, M. J.

BROOKES, JOE E., HTUN, THAN PE and NAING HLA. The susceptibility of *Bandicota bengalensis* from Rangoon, Burma, to several anticoagulant rodenticides, 127

BRUCE, R. G. *see* QUINN, R.

BUCHER, C. *see* PITT, T. L.

BUTLER, M. *see* HAJENIAN, H.

BUTLER, M. *see* HAJENIAN, H. G.

BYE, C. *see* FREESTONE, D. S.

CEDERBERG, ÅKE and ÖSTERBERG, KAI. A method for measuring the cleaning effect of flushing disinfectors, 321

CINCO, M., COGHLAN, J. D. and MATTHEWS, P. R. J. Isolation and classification of sixteen strains of saprophytic leptospires, 173

COGHLAN, J. D. *see* CINCO, M.

COOKE, E. MARY *see* FEENEY, A. R.

COOKE, E. MARY, SAZEGAR, TAHERE, EDMONDSON, A. S., BRAYSON, JANET C. and HALL, DIANA. *Klebsiella* species in hospital food and kitchens: a source of organisms in the bowel of patients, 97

CORBEL, M. J. and BREWER, R. A. Isolation and properties of an RNA fraction present in *Brucella* culture supernatants, 223

COX, J. C., PYE, D., EDMONDS, J. W. and SHEPHERD, ROSAMOND. An investigation of *Encephalitozoon cuniculi* in the wild rabbit *Oryctolagus cuniculus* in Victoria, Australia, 295

DE LEEUW, P. W., TIESSINK, J. W. A. and VAN BEKKUM, J. G. Aspects of heat inactivation of foot-and-mouth disease virus in milk from intramammarily infected susceptible cows, 159

DIAS, SYLVIA F. *see* SPIERS, A. S. D.
DUBOCK, A. C. *see* RENNISON, B. D.
DUERDEN, B. I. The identification of gram-negative anaerobic bacilli isolated from clinical infections, 301

EDMONDS, J. W. *see* COX, J. C.
EDMONDS, J. W. *see* SHEPHERD, ROSAMOND C. H.
EDMONDSON, A. S. *see* COOKE, E. MARY
EMMELOT, C. H. and VAN DER WAAIJ, D. The dose at which neomycin and polymyxin B can be applied for selective decontamination of the digestive tract in mice, 331
ERDMAN, Y. J. *see* PITT, T. L.
EVANS, NEST *see* KAPLAN, C.

FAINE, S. *see* ADLER, B.
FEENEY, A. R., COOKE, E. MARY, and SHINEBAUM, R. A comparative study of gram-negative aerobic bacilli in the faeces of babies born in hospital and at home, 91
FERRIS, R. *see* FREESTONE, D. S.
FREESTONE, D. S., KELLY, A., FERRIS, R., SIMMONS, R. L. L., BOWKER, C., LETLEY, E. and BYE, C. Comparison of antibody responses and virus shedding following administration of trivalent oral poliomyelitis vaccines prepared either in monkey kidney or human diploid cell substrates, 17

GABOR, I. *see* TJADE, O. H.
GILBERT, R. J. *see* PARRY, JENNIFER M.
GILBERT, R. J. *see* STRINGER, M. F.
GILL, J. E. *see* REDFERN, R.
GILL, J. E. *see* RENNISON, B. D.
GILL, K. P. W. *see* LANDER, K. P.
GIRDWOOD, R. W. A. *see* QUINN, R.
GOTO, JUN *see* ISHIGURO, NAOTAKA

HAJENIAN, H. and BUTLER, M. Inactivation of f2 coliphage in municipal effluent by the use of various disinfectants, 247
HAJENIAN, H. G. and BUTLER, M. Inactivation of viruses in municipal effluent by chlorine, 63
HALL, DIANA *see* COOKE, E. MARY
HAMBRAEUS, A. and BENEDIKTSDÓTTIR, E. Airborne non-sporeforming anaerobic bacteria, 181
HARRIS, R. E., REVFEIM, K. J. A. and HEATH, D. D. Simulating strategies for control of *Echinococcus granulosus*, *Taenia hydatigena* and *T. ovis*, 389
HAWKES, R. A., PHILBROOK, SUSAN C. and BOUGHTON, C. R. The response of institutionalized Down's syndrome subjects to enterovirus infections, 433
HEALING, LESLEY *see* KAPLAN, C.
HEALING, T. D. *see* KAPLAN, C.
HEATH, D. D. *see* HARRIS, R. E.
HTUN, THAN PE *see* BROOKES, JOE E.
HUSON, L. W. Statistical analysis of comparative field trials of acute rodenticides, 341
HUTCHINGS, G. H. *see* MANN, J. A.

IKEJIMA, NOBUYUKI *see* ARAI, TERUYOSHI
ISHIGURO, NAOTAKA, GOTO, JUN and SATO, GIHEI. Genetical relationship between R. plasmids derived from *Salmonella* and *Escherichia coli* obtained from a pig farm, and its epidemiological significance, 365
ITOH, TAKESHI *see* ARAI, TERUYOSHI
IWARSON, S. and LARSSON, P. Intradermal versus subcutaneous immunization with typhoid vaccine, 11

JOHNSON, ALAN M., ROBERTS, HELEN and MCDONALD, P. J. Age–sex distribution of *Toxoplasma* antibody in the South Australian population, 315
JONES, P. W., RENNISON, LYNNE M., LEWIN, V. H., REDHEAD, D. L. The occurrence and significance to animal health of salmonellas in sewage and sewage sludges, 47

KAKLAMANI, EVANGELIA, KYRIAKIDOU, ATHENA, TRICHOPOULOS, DIMITRI, PAPOUTSAKIS, GEORGE, KOUMANDAKI, IVONI and KARALIS, DIMITRI. Hepatitis B serology in Greek prostitutes: significance of the different serum markers, 257
KAPLAN, C., HEALING, T. D., EVANS, NEST, HEALING, LESLEY and PRIOR, ANNE. Evidence of infection by viruses in small British field rodents, 285
KARALIS, DIMITRI *see* KAKLAMANI, EVANGELIA
KELLY, A. *see* FREESTONE, D. S.
KERBY, J. *see* BARNHAM, M.
KOUMANDAKI, IVONI *see* KAKLAMANI, EVANGELIA
KURTZ, J. B., MORTIMER, P. P., MORTIMER, P. R., MORGAN-CAPNER, P., SHAFI, M. S. and WHITE, G. B. B. Rubella antibody measured by radial haemolysis. Characteristics and performance of a simple screening method for use in diagnostic laboratories, 213
KYRIAKIDOU, ATHENA *see* KAKLAMANI, EVANGELIA

LANDER, K. P. and GILL, K. P. W. Experimental infection of the bovine udder with *Campylobacter coli/jejuni*, 421
LARSSON, P. *see* IWARSON, S.
LETLEY, E. *see* FREESTONE, D. S.
LEWIN, V. H. *see* JONES, P. W.
LOPEZ, J. A. *see* SPIERS, A. S. D.
LUCAS, C. M. and MENDES, M. F. A bacteriological survey of sanitary dressings, and development of an effective means for their disposal, 41

MCDONALD, P. J. *see* JOHNSON ALAN M.
MANN, J. A. and HUTCHINGS, G. H. Swine vesicular disease: pathways of infection, 355
MARTINEAU, R. *see* MITTAL, K. R.
MATTHEWS, P. R. J. *see* CINCO, M.
MEAD, G. C. *see* ADAMS, B. W.
MENDES, M. F. *see* LUCAS, C. M.
MITTAL, K. R., TIZARD, I. R. and MARTINEAU, R. The use of the non-specific immunological factors, conglutinin, immunoconglutinin and heterophile antibody, in the serodiagnosis of bovine brucellosis, 405
MORGAN-CAPNER, P. *see* KURTZ, J. B.
MORTIMER, P. P. *see* KURTZ, J. B.
MORTIMER, P. R. *see* KURTZ, J. B.

NAING, HLA *see* BROOKES, JOE E.
NAYLOR, G. R. E. Technique for the cultural examination of urine using a single plate (the Macba plate), 429
NOBLE, W. C. *see* BAIRD, ROSAMUND M.

O'FARRELL, S. M. *see* BETTELHEIM, K. A.
OLD, D. C. *see* BARKER, RUTH
ÖSTERBERG, KAI *see* CEDERBERG, ÅKE

PAPOUTSAKIS, GEORGE *see* KAKLAMANI, EVANGELIA
PARRY, JENNIFER M. and GILBERT, R. J. Studies on the heat resistance of *Bacillus cereus* spores and growth of the organism in boiled rice, 77
PHILBROOK, SUSAN C. *see* HAWKES, R. A.
PITT, T. L., ERDMAN, Y. J. and BUCHER, C. The epidemiological type identification of *Serratia marcescens* from outbreaks of infection in hospitals, 269
PORTER, I. A. and REID, T. M. S. A milk-borne outbreak of *Campylobacter* infection, 415
PRIOR, ANNE *see* KAPLAN, C.

PYE, D. *see* COX, J. C.
PYHÄLÄ, R. Protection by a polyvalent influenza vaccine and persistence of homologous and heterologous HI antibodies during a period of two epidemic seasons, 237

QUINN, R., SMITH, H. V., BRUCE, R. G. and GIRDWOOD, R. W. A. Studies on the incidence of *Toxocara* and *Toxascaris* spp. ova in the environment. 1. A comparison of flotation procedures for recovering *Toxocara* spp. ova from soil, 83

REDFERN, R. and GILL, J. E. Laboratory evaluation of bromadiolone as a rodenticide for use against warfarin-resistant and non-resistant rats and mice, 263
REDFERN, R. *see* RENNISON, B. D.
REDHEAD, D. L. *see* JONES, P. W.
REID, T. M. S. *see* PORTER, I. A.
RENNISON, B. D., REDFERN, R., DUBOCK, A. C., GILL, J. E. and RICHARDS, C. G. J. Laboratory and field evaluation of pyriminyl as a poison for *Rattus norvegicus*, 347
RENNISON, LYNNE M. *see* JONES, P. W.
REVFEIM, K. J. A. *see* HARRIS, R. E.
RICHARDS, C. G. J. *see* RENNISON, B. D.
ROBERTS, HELEN *see* JOHNSON, ALAN M.
ROWLAND, M. G. M. *see* BARRELL, R. A. E.

SAKAI, SENZO *see* ARAI, TERUYOSHI
SAKAZAKI, RIICHI *see* ARAI, TERUYOSHI
SATO, GIHEI *see* ISHIGURO, NAOTAKA
SAZEGAR, TAHERE *see* COOKE, E. MARY
SHAFI, M. S. *see* KURTZ, J. B.
SHARP, J. C. M. *see* BARKER, RUTH
SHEPHERD, ROSAMOND *see* COX, J. C.
SHEPHERD, ROSAMOND C. H. and EDMONDS, J. W. Myxomatosis: the emergence of male and female European rabbit fleas *Spilopsyllus cuniculi* (Dale) from laboratory cultures, 109
SHIMADA, TOSHIO *see* ARAI, TERUYOSHI
SHINEBAUM, R. *see* FEENEY, A. R.
SHOOTER, R. A. *see* BAIRD, ROSAMUND M.
SHOOTER, R. A. *see* BETTELHEIM, K. A.
SIMMONS, R. L. L. *see* FREESTONE, D. S.
SKILLIN, J. *see* BARNHAM, M.
SMITH, H. V. *see* QUINN, R.
SPIERS, A. S. D., DIAS, SYLVIA F. and LOPEZ, J. A. Infection prevention in patients with cancer: microbiological evaluation of portable laminar air flow isolation, topical chlorhexidine, and oral non-absorbable antibiotics, 457
STRINGER, M. F., TURNBULL, P. C. B. and GILBERT, R. J. Application of serological typing to the investigation of outbreaks of *Clostridium perfringens* food poisoning, 1970–1978, 443

THORNS, C. J. and BOUGHTON, E. Studies on the effect of growth medium composition on the antigenicity of *Mycoplasma bovis*, 29
TIESSINK, J. W. A. *see* DE LEEUW, P. W.
TIZARD, I. R. *see* MITTAL, K. R.
TJADE, O. H. and GABOR, I. Evaluation of airborne operating room bacteria with a Biap slit sampler, 37
TRICHOPOULOS, DIMITRI *see* KAKLAMANI, EVANGELIA
TUCKER, J. F. *see* WILLIAMS SMITH, H.
TUCKER, J. F. *see* WILLIAMS SMITH, H.
TURNBULL, P. C. B. *see* STRINGER, M. F.

VAN BEKKUM, J. G. *see* DE LEEUW, P. W.
VAN DER WAAIJ, D. *see* EMMELOT, C. H.

WHITE, G. B. B. *see* KURTZ, J. B.
WILLIAMS SMITH, H. Antibiotic-resistant *Escherichia coli* in market pigs in 1956–1979: the emergence of organisms with plasmid-borne trimethoprim resistance, 467
WILLIAMS SMITH, H. and TUCKER, J. F. Further observations on the effect of feeding diets containing avoparcin, bacitracin and sodium arsenilate on the colonization of the alimentary tract of poultry by salmonella organisms, 137
WILLIAMS SMITH, H. and TUCKER, J. F. The virulence of salmonella strains for chickens: their excretion by infected chickens, 479
WILSON, M. W. *see* BETTELHEIM, K. A.

Index of Subjects

Airborne non-sporeforming anaerobic bacteria, 181
Airborne operating room bacteria, evaluation of with a Biap slit sampler, 37
Age–sex distribution of *Toxoplasma* antibody in South Australia, 315
Anaerobic non-sporeforming airborne bacteria, 181
Anaerobic bacilli, gram-negative, isolated from clinical infections, 301
Antibiotic-containing diets: their effect on colonization of the alimentary tract of poultry by salmonella organisms, 137
Antibody responses and virus shedding following trivalent oral poliomyelitis vaccines prepared in monkey kidney or in human diploid cell substrates, 17
Anticoagulant rodenticides, the susceptibility of *Bandicota bengalensis* from Rangoon to, 127

Bacillus cereus spores, heat resistance of, and growth of the organism in boiled rice, 77
Bacteriological survey of sanitary dressings, and development of an effective means for their disposal, 41
Bandicota bengalensis from Rangoon; its susceptibility to several anticoagulant rodenticides, 127
Biap slit sampler for evaluation of airborne operating room bacteria, 37
Boiled compared with formalized leptospiral vaccines in rabbits, hamsters and humans, 1
Bovine udder experimentally infected with *Campylobacter coli/jejuni*, 421
Bromadialone as a rodenticide for use against warfarin-resistant and non-resistant rats and mice, 263
Brucella culture supernatants, an RNA fraction present in, 223
Brucellosis, bovine, the serodiagnosis of by means of non-specific immunological factors, 405

Campylobacter coli/jejuni, experimental infection of the bovine udder with, 421
Campylobacter infection, a milk-borne outbreak, 415
Chicken factory, an outbreak of streptococcal infection in, 71
Cleaning effect of flushing disinfectors, measurement of, 321
Clostridium perfringens, methods for counting in poultry meat and other products, 151
Clostridium perfringens food poisoning, serological typing in outbreaks of, 443
Coliphage f2, inactivation of in municipal effluent by various disinfectants, 247
Conglutinin and other non-specific immunological factors in the serodiagnosis of bovine brucellosis, 405
Contaminated medicaments in use in a hospital for diseases of the skin, 103

Down's syndrome subjects in institutions, their response to enterovirus infections, 433

Echinococcus granulosus, *Taenia hydatigena* and *T. ovis*, simulating strategies for control of, 389
Encephalitozoon cuniculi in the wild rabbit in Victoria, Australia, 295
Enterotoxigenicity of environmental *Escherichia coli*, 411
Enterovirus infections, the response of institutionalized Down's syndrome subjects to, 433
Escherichia coli in the environment, belonging to serotypes normally considered enterotoxigenic, 411
Escherichia coli in market pigs, 1956–1979: emergence of organisms with plasmid-borne trimethoprim resistance, 467

Faeces of babies born in hospital and at home, gram-negative aerobic bacilli in, 91
Fleas, European rabbit; the emergence of males and females from laboratory cultures, 109
Flotation procedures for recovering ova of *Toxocara* spp. from soil, 83
Flushing disinfectors, a method for measuring the cleaning effect of, 321
Food poisoning by *Clostridium perfringens;* application of serological typing to the investigation of outbreaks, 443

Foot-and-mouth disease virus, heat inactivation of in milk from intramammarily infected susceptible cows, 159

Gram-negative aerobic bacilli in the faeces of babies born in hospital compared with those born at home, 91
Gram-negative anaerobic bacilli isolated from clinical infections, identification of, 301
Growth medium composition, the effect of on the antigenicity of *Mycoplasma bovis*, 29

Heat inactivation of foot-and-mouth disease virus in milk from intramammarily infected susceptible cows, 159
Heat resistance of *Bacillus cereus* spores, and growth of the organism in boiled rice, 77
Hepatitis B serology in Greek prostitutes: significance of the different serum markers, 257
Hospital food and kitchens, *Klebsiella* species in, 97

Immunogenicity of boiled compared with formalized leptospiral vaccines in rabbits, hamsters and humans, 1
Infection by viruses in small British rodents, 285
Infection prevention in patients with cancer: microbiological evaluation of laminar air flow isolation, topical chlorhexidine, and oral non-absorbable antibiotics, 457
Influenza vaccine, polyvalent; protection by, and persistence of homologous and heterologous HI antibodies during two epidemic seasons, 237
Intradermal versus subcutaneous immunization with typhoid vaccine, 11
Iodine, the effects of on biological activities of myxoviruses, 381
Isolation and classification of sixteen strains of saprophytic leptospires, 173

Klebsiella species in hospital food and kitchens: a source of organisms in the bowel of patients, 97

Laminar air flow isolation, topical chlorhexidine and oral non-absorbable antibiotics compared for infection prevention in patients with cancer, 457
Leptospiral vaccines, immunogenicity of boiled compared with formalized in rabbits, hamsters and humans, 1
Leptospires, isolation and classification of sixteen saprophytic strains of, 173

Macba plate, technique for cultural examination of urine using a single plate, 429
Media, and methods for counting *Clostridium perfringens* in poultry meat and further-processed products, 151
Milk-borne outbreak of *Campylobacter* infection, 415
Milk products, commercial, and indigenous weaning foods in a rural West African environment: a bacteriological perspective, 191
Municipal effluent, inactivation of f2 coliphage in by various disinfectants, 247
Municipal effluent, inactivation of viruses in by chlorine, 63
Mycoplasma bovis, the effect of growth medium composition on the antigenicity of, 29
Myxomatosis; the emergence of male and female European rabbit fleas *Spilopsyllus cuniculi* (Dale) from laboratory cultures, 109
Myxoviruses, the effects of iodine on the biological activities of, 381

Neomycin and polymyxin B, the doses which can be applied for selective decontamination of the digestive tract in mice, 331

Plesiomonas shigelloides from aquatic environments, domestic animals, pets and humans, 203
Poliomyelitis trivalent oral vaccines, prepared in either monkey kidney or human diploid cell substrates; comparison of antibody responses and virus shedding following administration of, 17
Prostitutes, Greek; hepatitis B serology in, 257
Pyriminyl as a poison for *Rattus norvegicus*, 347

Radial haemolysis for measurement of rubella antibody: a simple screening method, 213

Rattus norvegicus, laboratory and field evaluation of pyriminyl as a poison for, 347
RNA fraction present in *Brucella* culture supernatants; isolation and properties of, 223
Rodenticides, acute; statistical analysis of comparative field trials of, 341
R plasmids derived from *Salmonella* and *Escherichia coli* obtained from a pig farm, genetical relationship between, 365
Rubella antibody measured by radial haemolysis. A simple screening method for diagnostic laboratories, 213

Salmonella and *Escherichia coli* obtained from a pig farm; genetical relationship between R plasmids derived from, 365
Salmonella organisms in the alimentary tract of poultry; the effect of antibiotic-containing diets on, 137
Salmonella typhimurium, phage type/biotype groups of in Scotland, 1974–6, 115
Salmonella strains, virulence for and excretion by chickens, 479
Salmonellas in sewage and sewage sludges; the occurrence, and significance to animal health of, 47
Sanitary dressings, a bacteriological survey of, and development of an effective means for their disposal, 41
Selective decontamination of the digestive tract in mice; the dose at which neomycin and polymyxin B can be applied, 331
Serodiagnosis of bovine brucellosis; the use of non-specific immunological factors in, 405
Serological typing applied to the investigation of outbreaks of *Clostridium perfringens* food poisoning, 1970–1978, 443
Serratia marcescens from outbreaks of infection in hospitals; epidemiological type identification of, 269
Sewage and sewage sludges, the occurrence and significance to animal health of salmonellas in, 47
Simulating strategies for control of *Echniococcus granulosus*, *Taenia hydatigena* and *T. ovis*, 389
Skin diseases, contaminated medicaments in use in a hospital for, 103
Statistical analysis of comparative field trials of acute rodenticides, 341
Streptococcal infection, an outbreak in a chicken factory, 71
Swine vesicular disease: pathways of infection, 355

Toxocara spp., a comparison of flotation procedures for recovering ova from soil, 83
Toxoplasma antibody in the South Australian population, age–sex distribution of, 315
Trimethoprim resistance, plasmid-borne, in antibiotic–resistant *Escherichia coli* in market pigs, 1956–1979, 467
Type identification of *Serratia marcescens* from outbreaks of infection in hospitals, 269
Typhoid vaccine; intradermal versus subcutaneous immunization with, 11

Urine, cultural examination of using a single plate (the Macba plate), 429

Vaccine, polyvalent influenza; protection by and persistence of homologous and heterologous HI antibodies during two epidemic seasons, 237
Virulence of salmonella strains for chickens; their excretion by infected chickens, 479
Viruses in municipal effluent, inactivation by chlorine, 63
Viruses in small British field rodents, evidence of infection by, 285

Warfarin-resistant and non-resistant rats and mice: evaluation of bromadiolone as a rodenticide for use against, 263
West African rural environment: commercial milk products and indigenous weaning foods in, 191

THE JOURNAL OF HYGIENE

(Founded in 1901 by G. H. F. Nuttall, F.R.S.)

EDITED BY

The late R. M. FRY, M.A., M.R.C.S.,

J. H. McCOY, M.B., D.P.H.

Lately Director of Public Health Laboratory, Hull

IN CONJUNCTION WITH

R. D. BARRY, M.A., B.V.Sc., PH.D., Sc.D.
Professor of Virology, University of Newcastle, New South Wales, Australia

W. I. B. BEVERIDGE, D.V.Sc., Sc.D.
Lately Professor of Animal Pathology in the University of Cambridge

A. B. CHRISTIE, M.A., M.D., F.R.C.P., F.F.C.M.
Physician Superintendent, Fazakerley Hospital, Liverpool

A. W. DOWNIE, M.D., F.R.S.
Lately Professor of Bacteriology in the University of Liverpool

R. I. N. GREAVES, M.D., F.R.C.P.
Lately Professor of Pathology in the University of Cambridge

O. M. LIDWELL, D.PHIL.
External Scientific Staff, Medical Research Council

J. NAGINGTON, M.D.
Consultant Virologist, Public Health Laboratory Service

HILLAS SMITH, M.A., M.D., F.R.C.P.
Consultant Physician, Coppets Wood Hospital

Sir GRAHAM WILSON, M.D., LL.D., F.R.C.P., D.P.H., F.R.S.
Lately Director of the Public Health Laboratory Service

VOLUME 84 1980

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022, U.S.A.

© Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge

Contents

No. 1 (February 1980)

PAGE

Adler, B. and Faine, S. Immunogenicity of boiled compared with formalized leptospiral vaccines in rabbits, hamsters and humans 1

Iwarson, S. and Larsson, P. Intradermal versus subcutaneous immunization with typhoid vaccine 11

Freestone, D. S., Kelly, A., Ferris, R., Simmons, R. L. L., Bowker, C., Letley, E. and Bye, C. Comparison of antibody responses and virus shedding following administration of trivalent oral poliomyelitis vaccines prepared either in monkey kidney or human diploid cell substrates . . 17

Thorns, C. J. and Boughton, E. Studies on the effect of growth medium composition on the antigenicity of *Mycoplasma bovis* 29

Tjade, O. H. and Gabor, I. Evaluation of airborne operating room bacteria with a Biap slit sampler 37

Lucas, C. M. and Mendes, M. F. A bacteriological survey of sanitary dressings, and development of an effective means for their disposal 41

Jones, P. W., Rennison, Lynne M., Lewin, V. H. and Redhead, D. L. The occurrence and significance to animal health of salmonellas in sewage and sewage sludges 47

Hajenian, H. G. and Butler, M. Inactivation of viruses in municipal effluent by chlorine 63

Barnham, M., Kerby, J. and Skillin, J. An outbreak of streptococcal infection in a chicken factory 71

Parry, Jennifer M. and Gilbert, R. J. Studies on the heat resistance of *Bacillus cereus* spores and growth of the organism in boiled rice . . . 77

Quinn, R., Smith, H. V., Bruce, R. G. and Girdwood, R. W. A. Studies on the incidence of *Toxocara* and *Toxascaris* spp. ova in the environment. 1. A comparison of flotation procedures for recovering *Toxocara* spp. ova from soil . 83

Feeney, A. R., Cooke, E. M. and Shinebaum, R. A comparative study of gram-negative aerobic bacilli in the faeces of babies born in hospital and at home 91

Cooke, E. Mary, Sazegar, Tahere, Edmondson, A. S., Brayson, Janet C. and Hall, Diana. *Klebsiella* species in hospital food and kitchens: a source of organisms in the bowel of patients 97

Baird, Rosamund M., Awad, Z. A., Shooter, R. A. and Noble, W. C. Contaminated medicaments in use in a hospital for diseases of the skin . . 103

Shepherd, Rosamond C. H. and Edmonds, J. W. Myxomatosis: the emergence of male and female European rabbit fleas *Spilopsyllus cuniculi* (Dale) from laboratory cultures 109

Barker, Ruth, Old, D. C. and Sharp, J. C. M. Phage type/biotype groups of *Salmonella typhimurium* in Scotland 1974–6: variation during spread of epidemic clones 115

PAGE

BROOKS, JOE E., PE THAN HTUN and HLA NAING. The susceptibility of *Bandicota bengalensis* from Rangoon, Burma to several anticoagulant rodenticides . 127

SMITH, H. WILLIAMS and TUCKER, J. F. Further observations on the effect of feeding diets containing avoparcin, bacitracin and sodium arsenilate on the colonization of the alimentary tract of poultry by salmonella organisms . 137

ADAMS, B. W. and MEAD, G. C. Comparison of media and methods for counting *Clostridium perfringens* in poultry meat and further-processed products . 151

No. 2 (APRIL 1980)

DE LEEUW, P. W., TIESSINK, J. W. A. and VAN BEKKUM, J. G. Aspects of heat inactivation of foot-and-mouth disease virus in milk from intramammarily infected susceptible cows 159

CINCO, M., COGHLAN, J. D. and MATTHEWS, P. R. J. Isolation and classification of sixteen strains of saprophytic leptospires 173

HAMBRAEUS, A. and BENEDIKTSDÓTTIR, E. Airborne non-sporeforming anaerobic bacteria 181

BARRELL, R. A. E. and ROWLANDS, M. G. M. Commercial milk products and endogenous weaning foods in a rural West African environment: a bacteriological perspective 191

ARAI, TERUYOSJI, IKEJIMA, NOBUYUKI, ITOH, TAKESHI, SAKAI, SENZO, SHIMADA, TOSHIO and SAKAZAKI, RIICHI. A survey of *Plesiomonas shigelloides* from aquatic environments, domestic animals, pets and humans . . . 203

KURTZ, J. B., MORTIMER, P. P., MORTIMER, P. R., MORGAN-CAPNER, P., SHAFI, M. S. and WHITE, G. B. B. Rubella antibody measured by radial haemolysis. Characteristics and performance of a simple screening method for use in diagnostic laboratories 213

CORBEL, M. J. and BREWER, R. A. Isolation and properties of an RNA fraction present in *Brucella* culture supernatants 223

PYHÄLÄ, R. Protection by a polyvalent influenza vaccine and persistence of homologous and heterologous HI antibodies during a period of two epidemic seasons 237

HAJENIAN, H. and BUTLER, M. Inactivation of f2 coliphage in municipal effluent by the use of various disinfectants 247

KAKLAMANI, EVANGELIA, KYRIAKIDOU, ATHENA, TRICHOPOULOS, DIMITRI, PAPOUTSAKIS, GEORGE, KOUMANDAKI, IVONI and KARALIS, DIMITRI. Hepatitis B serology in Greek prostitutes: significance of the different serum markers 257

REDFERN, R. and GILL, J. E. Laboratory evaluation of bromadiolone as a rodenticide for use against-warfarin resistant and non-resistant rats and mice . 263

PITT, T. L., ERDMAN, Y. J. and BUCHER, C. The epidemiological type identification of *Serratia marcescens* from outbreaks of infection in hospitals . . . 269

KAPLAN, C., HEALING, T. D., EVANS, NEST, HEALING, LESLEY and PRIOR, ANNE. Evidence of infection by viruses in small British field rodents . . . 285

PAGE

COX, J. C., PYE, D., EDMONDS, J. W. and SHEPHERD, ROSAMOND. An investigation of *Encephalitozoon cuniculi* in the wild rabbit *Oryctolagus cuniculus* in Victoria, Australia 295

DUERDEN, B. I. The identification of gram-negative anaerobic bacilli isolated from clinical infections 301

JOHNSON, ALAN M., ROBERTS, HELEN and MCDONALD, P. J. Age–sex distribution of *Toxoplasma* antibody in the South Australian population 315

No. 3 (June 1980)

CEDERBERG, ÅKE and ÖSTERBERG, KAI. A method for measuring the cleaning effect of flushing disinfectors 321

EMMELOT, C. H. and VAN DER WAAIJ, D. The dose at which neomycin and polymyxin B can be applied for selective decontamination of the digestive tract in mice 331

HUSON, L. W. Statistical analysis of comparative field trials of acute rodenticides 341

RENNISON, B. D., REDFERN, R., DUBOCK, A. C., GILL, J. E. and RICHARDS, C. G. J. Laboratory and field evaluation of pyriminyl as a poison for *Rattus norvegicus* 347

MANN, J. A. and HUTCHINGS, G. H. Swine vesicular disease: pathways of infection 355

ISHIGURO, NAOTAKA, GOTO, JUN and SATO, GIHEI. Genetical relationship between R plasmids derived from *Salmonella* and *Escherichia coli* obtained from a pig farm, and its epidemiological significance 365

APOSTOLOV, K. The effects of iodine on the biological activities of myxoviruses . 381

HARRIS, R. E., REVFEIM, K. J. A. and HEATH, D. D. Simulating strategies for control of *Echinococcus granulosus*, *Taenia hydatigena* and *T. ovis* . . 389

MITTAL, K. R., TIZARD, I. R. and MARTINEAU, R. The use of the non-specific immunological factors, conglutinin, immunoconglutinin and heterophile antibody, in the serodiagnosis of bovine brucellosis 405

BETTELHEIM, K. A., WILSON, M. W., SHOOTER, R. A. and O'FARRELL, S. M. Studies on the enterotoxigenicity of environmental *Escherichia coli*, belonging to serotypes normally considered enterotoxigenic 411

PORTER, I. A. and REID, T. M. S. A milk-borne outbreak of *Campylobacter* infection 415

LANDER, K. P. and GILL, K. P. W. Experimental infection of the bovine udder with *Campylobacter coli/jejuni* 421

NAYLOR, G. R. E. Technique for the cultural examination of urine using a single plate (the Macba plate) 429

HAWKES, R. A., PHILBROOK, SUSAN C. and BOUGHTON, C. R. The response of institutionalized Down's syndrome subjects to enterovirus infections . . 433

PAGE

STRINGER, M. F., TURNBULL, P. C. B. and GILBERT, R. J. Application of serological typing to the investigation of outbreaks of *Clostridium perfringens* food poisoning, 1970–1978 443

SPIERS, A. S. D., DIAS, SYLVIA F. and LOPEZ, J. A. Infection prevention in patients with cancer: microbiological evaluation of portable laminar air flow isolation, topical chlorhexidine, and oral non-absorbable antibiotics . . 457

SMITH, H. WILLIAMS Antibiotic-resistant *Escherichia coli* in market pigs in 1956–1979: the emergence of organisms with plasmid-borne trimethoprim resistance 467

SMITH, H. WILLIAMS and TUCKER, J. F. The virulence of salmonella strains for chickens: their excretion by infected chickens 479

Index of Authors

ANDERSON, D. M. Plasmid studies of *Salmonella typhimurium* phage type 179 resistant to ampicillin, tetracycline, sulphonamides and trimethoprim, 293
ANDERSON, MARY J. *see* CRADOCK-WATSON, J. E.

BENJAMIN, J. *see* SKIRROW, N. B.
BETTELHEIM, K. A. *see* HAYDEN, B. J.
BLACKBURN, N. K. and SWANEPOEL, R. An investigation of flavivirus infections of cattle in Zimbabwe Rhodesia with particular reference to Wesselsbron virus, 1
BOUTAHAR-TROUW, BARRY J. KHADER *see* WAGENVOORT, J. H. T.
BRADSHAW, ELIZABETH *see* FROST, A. J.
BRITTON, C. R. *see* ROBERTS, T. A.
BROOKS, JOE E. and HTUN PE THAN. Laboratory evaluation of scilliroside used as a rodenticide against the lesser bandicoot rat, *Bandicota bengalensis*, 227
BULLIN, C. H. *see* TANNER, ELIZABETH
BULLIN, JUDITH *see* TANNER, ELIZABETH

CASWELL, R. *see* STOTT, E. J.
CHAI, K. H. *see* ROSS PHILPOT, C.
CLIFF, A. D. and HAGGETT, P. Changes in the seasonal incidence of measles in Iceland, 1896–1974, 451
CLIFTON-HADLEY, FELICITY *see* ELLIOTT, S. D.
COLE, T. J. *see* ROWLAND, M. G. M.
COLLING, IDA KERR, A., MAXTED, W. R. and WIDDOWSON, JEAN P. Streptococcal infection in a Junior Detention Centre: a five year study, 331
COLLINS, A. P. *see* STOTT, E. J.
CORBEL, M. J., SCOTT, A. C. and ROSS, H. M. Properties of a cell-wall-defective variant of *Brucella abortus* of bovine origin, 103
CRADOCK-WATSON, J. E., RIDEHALGH, MARGARET K. S., ANDERSON, MARY J., PATTISON, J. R. and KANGRO, H. O. Fetal infection resulting from maternal rubella after the first trimester of pregnancy, 381
CROUCH, S. *see* STOTT, E. J.

DALZIEL, R. W. *see* SMITHER, R.
DOLBY, JEAN M. *see* ROWLAND, M. G. M.
DOLBY, JEAN M., HONOUR, PAULINE and ROWLAND, M. G. M. Bacteriostasis of *Escherichia coli* by milk. V. The bacteriostatic properties of milk of West African mothers in The Gambia: *in vitro* studies, 347

ELLIOTT, S. D., CLIFTON-HADLEY, FELICITY and TAI, JOSEPH. Streptococcal infection in young pigs. V. An immunogenic polysaccharide from *Streptococcus suis* type 2 with particular reference to vaccination against streptococcal meningitis in pigs, 275

FARKAS, G. *see* MACKEY, B. M.
FROST, A. J. and BRADSHAW, ELIZABETH. The role of lysogeny in the modification of phage typing patterns of *Staphylococcus aureus* isolated from dairy cows, 301

GAMBLE, D. R. *see* TANNER, ELIZABETH
GILL, J. E. and REDFERN, R. Laboratory trials of seven rodenticides for use against the cotton rat (*Sigmodon hispidus*), 443
GLOSTER, J. *see* SELLERS, R. F.

HAGGETT, P. *see* CLIFF, A. D.
HARMSEN, M. *see* WAGENVOORT, J. H. T.

HARVEY, R. W. S. and PRICE, T. H. Faecal excretion of enteropathogens in a Pakistani family returning to the U.K. after a visit to Rawalpindi, 287
HARVEY, R. W. S. and PRICE, T. H. Salmonella isolation with Rappaport's medium after pre-enrichment in buffered peptone water using a series of inoculum ratios, 125
HAYDEN, B. J., BETTELHEIM, K. A. and WILSON, M. W. Investigation into an outbreak of food poisoning, 327
HEALING, T. D., KAPLAN, C. and PRIOR, ANNE. A note on some British Enterobacteriaceae from the faeces of small wild British mammals, 343
HONOUR, PAULINE *see* DOLBY, JEAN M.
HONOUR, PAULINE *see* ROWLAND, M. G. M.
HOOKER, J. M. *see* SMITH, G. R.
HTUN PE THAN *see* BROOKS, JOE E.
HUDSON, W. R. *see* ROBERTS, T. A.

JEBBETT, J. *see* STOTT, E. J.
JESSETT, D. M. *see* MUSHI, E. Z.
JOINT COMMITTEE OF THE P.H.L.S. AND THE STANDING COMMITTEE OF ANALYSTS. A comparison between minerals-modified glutamate medium and lauryl tryptose lactose broth for the enumeration of *Escherichia coli* and coliform organisms in water by the multiple tube method, 35
JOINT COMMITTEE OF THE P.H.L.S. AND THE STANDING COMMITTEE OF ANALYSTS. Single tube confirmatory tests for *Escherichia coli*, 51
JOINT COMMITTEE OF THE P.H.L.S. AND THE STANDING COMMITTEE OF ANALYSTS. Membrane filtration media for the enumeration of coliform organisms and *Escherichia coli* in water: comparison of Tergitol 7 and lauryl sulphate with Teepol 610, 181

KANGRO, H. O. *see* CRADOCK-WATSON, J. E.
KAPLAN, C. *see* HEALING, T. D.
KARSTAD, L. *see* MUSHI, E. Z.
KING, KATHLEEN. Prophylactic non-absorbable antibiotics in leukaemic patients, 141
KRAAIJEVELD, C. A. *see* WAGENVOORT, J. H. T.

LIDWELL, O. M. *see* MACKINTOSH, C. A.
LOTT, A. F. *see* SMITHER, R.
LUTHER, P. D. *see* STOTT, E. J.

MCDONALD, P. J. *see* ROSS PHILPOT, C.
MACFIE, H. J. H. *see* ROBERTS, T. A.
MACKEY, B. M., ROBERTS, T. A., MANSFIELD, J. and FARKAS, G. Growth of *Salmonella* on chilled meat, 115
MACKINTOSH, C. A. and LIDWELL, O. M. The evaluation of fabrics in relation to their use as protective garments in nursing and surgery. III. Wet penetration and contact transfer of particles through clothing, 393
MANSFIELD, J. *see* MACKEY, B. M.
MATHUR, R. P. and PRAKASH, I. Laboratory evaluation of anticoagulant-treated baits for control of the northern palm squirrel, *Funambulus pennanti* Wroughton, 421
MAXTED, W. R. *see* COLLING, IDA KERR, A.
MILLIGAN, R. A. *see* SMITH, G. R.
MUSHI, E. Z., ROSSITER, P. B., KARSTAD, L. and JESSETT, D. M. The demonstration of cell-free malignant catarrhal fever herpesvirus in wildebeest nasal secretions, 175
MUSHIN, ROSE. A study on bacteriocin typing of avian strains of *Pasteurella multocida*, 59

Obituary to DR R. M. FRY, 309
OJAJÄRVI, JUHANI. Effectiveness of hand washing and disinfection methods in removing transient bacteria after patient nursing, 193
OSBORN, T. W. Serial subcultivation of Czechoslovakian and Japanese BCG strains, 235
OSTLER, D. C. *see* SMITHER, R.

PATTISON, J. R. *see* CRADOCK-WATSON, J. E.
POLAK, M. F. *see* VAN DER VEEN, J.
PRAKASH, I. *see* MATHUR, R. P.
PRICE, T. H. *see* HARVEY, R. W. S.
PRIOR, ANNE *see* HEALING, T. D.

REDFERN, R. *see* GILL, J. E.
RIDEHALGH, MARGARET K. S. *see* CRADOCK-WATSON, J. E.
ROBERTS, T. A. *see* MACKEY, B. M.
ROBERTS, T. A., BRITTON, C. R. and HUDSON, W. R. The bacteriological quality of minced beef in the U.K., 211
ROBERTS, T. A., MACFIE, H. J. H. and HUDSON, W. R. The effect of incubation temperature and site of sampling on assessment of the numbers of bacteria on red meat carcasses at commercial abattoirs, 371
ROSS, H. M. *see* CORBEL, M. J.
ROSS PHILPOT, C., MCDONALD, P. J. and CHAI, K. H. Significance of enteric Gram-negative bacilli in the throat, 205
ROSSITER, P. B. *see* MUSHI, E. Z.
ROWLAND, M. G. M. *see* DOLBY, JEAN M.
ROWLAND, M. G. M., COLE, T. J., TULLY, MAURA, DOLBY, JEAN M. and HONOUR, PAULINE. Bacteriostasis of *Escherichia coli* by milk. VI. The in-vitro bacteriostatic property of Gambian mothers' breast milk in relation to the in-vivo protection of their infants against diarrhoeal disease, 405

SCOTT, A. C. *see* CORBEL, M. J.
SELLERS, R. F. Weather, host and vector – their interplay in the spread of insect-borne animal virus diseases, 65
SELLERS, R. F. and GLOSTER, J. The Northumberland epidemic of foot-and-mouth disease, 1966, 129
SKIRROW, N. B. and BENJAMIN, J. '1001' Campylobacter: cultural characteristics of intestinal campylobacters from man and animals, 427
SMITH, G. R., HOOKER, J. M. and MILLIGAN, R. A. Further studies on carpine and ovine mycoplasmas related to *Mycoplasma mycoides* subsp. *mycoides*, 247
SMITH, G. R. and YOUNG, ANGELA M. *Clostridium botulinum* in British soil, 271
SMITH, G. S. *see* STOTT, E. J.
SMITHER, R., LOTT, A. F., DALZIEL, R. W. and OSTLER, D. C. Antibiotic residues in meat in the United Kingdom; an assessment of specific tests to detect and identify antibiotic residues, 359
STOTT, E. J., THOMAS, L. H., COLLINS, A. P., CROUCH, S., JEBBETT, J., SMITH, G. S., LUTHER, P. D. and CASWELL, R. A survey of virus infections of the respiratory tract of cattle and their association with disease, 257
SWANEPOEL, R. *see* BLACKBURN, N. K.

TAI, JOSEPH *see* ELLIOTT, S. D.
TANNER, ELIZABETH I., BULLIN, JUDITH, BULLIN, C. H. and GAMBLE, D. R. An outbreak of post-operative sepsis due to a staphylococcal disperser, 219
THOMAS, L. H. *see* STOTT, E. J.
TIGERTT, W. D. Anthrax: William Smith Greenfield, M.D., F.R.C.P., Professor Superintendent, The Brown Animal Sanatory Institution (1878–81). Concerning the priority due to him for the production of the first vaccine against anthrax, 415
TULLY, MAURA *see* ROWLAND, M. G. M.

UNSWORTH, P. F. The isolation of streptococci from human faeces, 153

VAN DER VEEN, J. and POLAK, M. F. Prevalence of toxoplasma antibodies according to age with comments on the risk of prenatal infection, 165

WAGENVOORT, J. H. T., HARMSEN, M., BOUTAHAR-TROUW, BARRY J. KHADER, KRAAIJEVELD, C. A. and WINKLER, K. C. Epidemiology of mumps in the Netherlands, 313
WIDDOWSON, JEAN P. *see* COLLING, IDA KERR, A.
WILSON, M. W. *see* HAYDEN, B. J.
WINKLER, K. C. *see* WAGENVOORT, J. H. T.

YOUNG, ANGELA M. *see* SMITH, G. R.

Index of Subjects

Ampicillin, tetracycline, sulphonamides and trimethoprim; plasmid studies of *Salmonella typhimurium* phage type 179 resistant to, 293
Antibiotic residues in meat in the United Kingdom: an assessment of specific tests to detect and identify antibiotic residues, 359
Antibiotics in leukaemic patients, prophylactic non-absorbable, 141
Anticoagulant-treated baits; laboratory evaluation for control of the northern palm squirrel, *Funambulus pennanti* Wroughton, 421

Bacteria on red meat carcasses; effect of incubation temperature and site of sampling on assessment at commercial abattoirs, 371
Bacteriostasis of *Escherichia coli* by milk. V. The bacteriostatic properties of milk of West African mothers in The Gambia: in-vitro studies, 347
Bacteriostasis of *Escherichia coli* by milk. VI. The in-vitro bacteriostatic property of Gambian mothers' breast milk in relation to the in-vivo protection of their infants against diarrhoeal disease, 405
Bacteriostatic property of Gambian mothers' breast milk in relation to the in-vivo protection of their infants against diarrhoeal disease, 405
Bacteriostatic properties of milk of West African mothers in The Gambia: in-vitro studies, 347
Bandicota bengalensis; laboratory evaluation of scilliroside used as a rodenticide against the lesser bandicoot rat, 227
Bacteriological quality of minced beef in the U.K., 211
Brucella abortus, properties of a cell-wall-defective variant of, 103

'1001' Campylobacters: cultural characteristics of intestinal campylobacters from man and animals, 427
Caprine and ovine mycoplasmas; further studies related to *Mycoplasma mycoides* subsp. *mycoides*, 247
Changes in the seasonal incidence of measles in Iceland, 1896–1974, 451
Clostridium botulinum in British soil, 271
Czechoslovakian and Japanese BCG strains; serial subcultivation of, 235

Diarrhoeal disease; bacteriostasis of *Escherichia coli* by milk. VI. The in-vitro bacteriostatic property of Gambian mothers' breast milk in relation to the in-vivo protection of their infants against, 405

Enterobacteriaceae from faeces; a note on some small wild British mammals, 343
Epidemiology of mumps in the Netherlands, 313
Escherichia coli and coliform organisms in water; a comparison between minerals-modified glutamate medium and lauryl tryptose lactose broth for the enumeration of, 35
Escherichia coli; bacteriostasis of, 347, 405
Escherichia coli in water: membrane filtration media for the enumeration of coliform organisms and a comparison of Tergitol 7 and lauryl sulphate with Teepol 610, 181
Escherichia coli; single tube confirmatory tests for, 51
Evaluation of fabrics in relation to their use as protective garments in nursing and surgery. III. Wet penetration and contact transfer of particles through clothing, 393

Faecal excretion of enteropathogens in a Pakistani family returning to the U.K. after a visit to Rawalpindi, 287
Fetal infection resulting from maternal rubella after the first trimester of pregnancy, 381
Fever herpesvirus; demonstration in wildebeest nasal secretions of cell-free malignant catarrhal, 175
Flavivirus infections; an investigation of, 1

Food poisoning; investigation into an outbreak, 327
Foot-and-mouth disease 1966; the Northumberland epidemic, 129
Funambulus pennanti Wroughton; laboratory evaluation of anticoagulant-treated baits for control of the northern palm squirrel, 421

Glutamate medium and lauryl tryptose lactose; a comparison between them for the enumeration of *Escherichia coli* and coliform organisms in water by the multiple tube method, 35
Gram-negative bacilli; significance of in the throat, 205

Hand washing and disinfection methods; effectiveness in removing transient bacteria after patient nursing, 193

Insect-borne animal virus diseases; weather, host and vector – their interplay in the spread of, 65
Intestinal campylobacters from man and animal; '1001' Campylobacters, 427
Investigation of flavivirus infections of cattle in Zimbabwe Rhodesia with particular reference to Wesselsbron virus, 1
Isolation of streptococci from human faeces, 153

Laboratory evaluation of anticoagulant-treated baits for control of the local palm squirrel, *Funambulus pennanti* Wroughton, 421
Laboratory evaluation of scilliroside used as a rodenticide against the lesser bandicoot rat, *Bandicota bengalensis*, 227
Laboratory trials of seven rodenticides for use against the cotton rat (*Sigmodon hispidus*), 443

Maternal rubella; fetal infection resulting from first trimester of pregnancy, 381
Measles in Iceland, 1896–1974; changes in the seasonal incidence of, 451
Membrane filtration media for the enumeration of coliform organisms and *Escherichia coli* in water: comparison of Tergitol 7 and lauryl sulphate with Teepol 610, 181
Mycoplasma mycoides subsp. *mycoides*; further studies on caprine and ovine mycoplasmas related to, 247

Northumberland epidemic of foot-and-mouth disease, 1966, 129

Pasteurella multocida, a study on bacteriocin typing of avian strains of, 59
Post-operative sepsis; an outbreak due to a staphylococcal disperser of, 219
Prenatal infection; prevalence of toxoplasma antibodies according to age with comments on the risk of, 165
Protective garments in nursing and surgery; evaluation of fabrics in relation to their use as, 393

Rappaport's medium, salmonella isolation with, after pre-enrichment in buffered peptone water using a series of inoculum ratios, 125
Role of lysogeny in the modification of phage typing patterns of *Staphylococcus aureus* isolated from dairy cows, 301
Rubella, maternal; fetal infection resulting from, after the first trimester of pregnancy, 381

Salmonella, growth on chilled meat, 115
Salmonella isolation with Rappaport's medium after pre-enrichment in buffered peptone water using a series of inoculum ratios, 125
Salmonella typhimurium; plasmid studies of phage type 179 resistant to ampicillin, tetracycline, sulphonamides and trimethoprim, 293
Serial subcultivation of Czechoslovakian and Japanese BCG strains, 235
Sigmodon hispidus; laboratory trials of seven rodenticides for use against the cotton rat, 443
Staphylococcal disperser; outbreak of post-operative sepsis due to, 219
Staphylococcus aureus; role of lysogeny in the modification of phage typing patterns isolated from dairy cows, 301
Streptococcal infection in a Junior Detention Centre: a five year study, 331

Streptococcal infection in young pigs. V. An immunogenic polysaccharide from *Streptococcus suis* type 2 with particular reference to vaccination against streptococcal meningitis in pigs, 275
Streptococcal meningitis in pigs; an immunogenic polysaccharide from *Streptococcus suis* type 2 with particular reference to vaccination against, 275
Streptococci from human faeces, isolation of, 153
Streptococcus suis; with particular reference to vaccination against streptococcal meningitis in pigs, 275

Toxoplasma antibodies; prevalence of them according to age with comments on the risk of prenatal infection, 165
Transient bacteria after patient nursing; effectiveness of hand washing and disinfection methods in removing, 193
Trimester of pregnancy; fetal infection resulting from maternal rubella after the first, 381

Vaccine against anthrax; concerning the priority due to William Smith Greenfield, M.D., F.R.C.P., Professor Superintendent, The Brown Animal Sanatory Institution (1878–81), 415
Virus infections; a survey of the respiratory tract of cattle and their association with disease, 257

Weather, host and vector – their interplay in the spread of insect-borne animal virus diseases, 65
Wesselsbron virus; an investigation of flavivirus infections of cattle in Zimbabwe Rhodesia with particular reference to, 1
Wildebeest nasal secretions; demonstration of cell-free malignant catarrhal fever herpesvirus in, 175

THE
JOURNAL OF HYGIENE

(Founded in 1901 by G. H. F. Nuttall, F.R.S.)

EDITED BY

The late R. M. FRY, M.A., M.R.C.S.,

J. H. McCOY, M.B., D.P.H.
Lately Director of Public Health Laboratory, Hull

IN CONJUNCTION WITH

R. D. BARRY, M.A., B.V.Sc., PH.D., Sc.D.
Professor of Virology, University of Newcastle, New South Wales, Australia

W. I. B. BEVERIDGE, D.V.Sc., Sc.D.
Lately Professor of Animal Pathology in the University of Cambridge

A. B. CHRISTIE, M.A., M.D., F.R.C.P., F.F.C.M.
Physician Superintendent, Fazakerley Hospital, Liverpool

A. W. DOWNIE, M.D., F.R.S.
Lately Professor of Bacteriology in the University of Liverpool

R. I. N. GREAVES, M.D., F.R.C.P.
Lately Professor of Pathology in the University of Cambridge

O. M. LIDWELL, D.PHIL.
External Scientific Staff, Medical Research Council

J. NAGINGTON, M.D.
Consultant Virologist, Public Health Laboratory Service

HILLAS SMITH, M.A., M.D., F.R.C.P.
Consultant Physician, Coppets Wood Hospital

Sir GRAHAM WILSON, M.D., LL.D., F.R.C.P., D.P.H., F.R.S.
Lately Director of the Public Health Laboratory Service

VOLUME 85 1980

CAMBRIDGE UNIVERSITY PRESS
CAMBRIDGE
LONDON NEW YORK NEW ROCHELLE
MELBOURNE SYDNEY

Published by the Press Syndicate of the University of Cambridge

The Pitt Building, Trumpington Street, Cambridge CB2 1RP
32 East 57th Street, New York, N.Y. 10022, U.S.A.

© Cambridge University Press 1980

Printed in Great Britain at the University Press, Cambridge

Contents

No. 1 (August 1980)

PAGE

Blackburn, N. K. and Swanepoel, R. An investigation of flavivirus infections of cattle in Zimbabwe Rhodesia with particular reference to Wesselsbron virus 1

Joint Committee of the P.H.L.S. and the Standing Committee of Analysts. A comparison between minerals-modified glutamate medium and lauryl tryptose lactose broth for the enumeration of *Escherichia coli* and coliform organisms in water by the multiple tube method 35

Joint Committee of the P.H.L.S. and the Standing Committee of Analysts. Single tube confirmatory tests for *Escherichia coli* 51

Mushin, Rose. A study on bacteriocin typing of avian strains of *Pasteurella multocida* 59

Sellers, R. F. Weather, host and vector – their interplay in the spread of insect-borne animal viral diseases 65

Corbel, M. J., Scott, A. C. and Ross, H. M. Properties of a cell-wall-defective variant of *Brucella abortus* of bovine origin 103

Mackey, B. M., Roberts, T. A., Mansfield, J. and Farkas, G. Growth of *Salmonella* on chilled meat 115

Harvey, R. W. S. and Price, T. H. Salmonella isolation with Rappaport's medium after pre-enrichment in buffered peptone water using a series of inoculum ratios 125

Sellers, R. F. and Gloster, J. The Northumberland epidemic of foot-and-mouth disease, 1966 129

King, Kathleen. Prophylactic non-absorbable antibiotics in leukaemic patients 141

Unsworth, P. F. The isolation of streptococci from human faeces . . . 153

No. 2 (October 1980)

van der Veen, J. and Polak, M. F. Prevalence of toxoplasma antibodies according to age with comments on the risk of prenatal infection . . 165

Mushi, E. Z., Rossiter, P. B., Karstad, L. and Jessett, D. M. The demonstration of cell-free malignant catarrhal fever herpesvirus in wildebeest nasal secretions 175

Joint Committee of the P.H.L.S. and the Standing Committee of Analysts. Membrane filtration media for the enumeration of coliform organisms and *Escherichia coli* in water: comparison of Tergitol 7 and lauryl sulphate with Teepol 610 181

Ojajärvi, Juhani. Effectiveness of hand washing and disinfection methods in removing transient bacteria after patient nursing 193

Ross Philpot, C., McDonald, P. J. and Chai, K. H. Significance of enteric Gram-negative bacilli in the throat 205

ROBERTS, T. A., BRITTON, C. R. and HUDSON, W. R. The bacteriological quality of minced beef in the U.K. 211

TANNER, ELIZABETH I., BULLIN, JUDITH, BULLIN, C. H. and GAMBLE, D. R. An outbreak of post-operative sepsis due to a staphylococcal disperser . 219

BROOKS, JOE E. and HTUN PE THAN. Laboratory evaluation of scilliroside used as a rodenticide against the lesser bandicoot rat, *Bandicota bengalensis* . 227

OSBORN, T. W. Serial subcultivation of Czechoslovakian and Japanese BCG strains 235

SMITH, G. R., HOOKER, J. M. and MILLIGAN, R. A. Further studies on caprine and ovine mycoplasmas related to *Mycoplasma mycoides* subsp. *mycoides* . . 247

STOTT, E. J., THOMAS, L. H., COLLINS, A. P., CROUCH, S., JEBBETT, J., SMITH, G. S., LUTHER, P. D. and CASWELL, R. A survey of virus infections of the respiratory tract of cattle and their association with disease . . . 257

SMITH, G. R. and YOUNG, ANGELA M. *Clostridium botulinum* in British soil . 271

ELLIOTT, S. D., CLIFTON-HADLEY, FELICITY and TAI, JOSEPH. Streptococcal infection in young pigs. V. An immunogenic polysaccharide from *Streptococcus suis* type 2 with particular reference to vaccination against streptococcal meningitis in pigs 275

HARVEY, R. W. S. and PRICE, T. H. Faecal excretion of entero-pathogens in a Pakistani family returning to the U.K. after a visit to Rawalpindi . 287

ANDERSON, D. M. Plasmid studies of *Salmonella typhimurium* phage type 179 resistant to ampicillin, tetracycline, sulphonamides and trimethoprim . 293

FROST, A. J. and BRADSHAW, ELIZABETH. The role of lysogeny in the modification of phage typing patterns of *Staphylococcus aureus* isolated from dairy cows 301

No. 3 (DECEMBER 1980)

Obituary to DR R. M. FRY 309

WAGENVOORT, J. H. T., HARMSEN, M., BOUTAHAR-TROUW, BARRY J. KHADER, KRAAIJEVELD, C. A. and WINKLER, K. C. Epidemiology of mumps in the Netherlands 313

HAYDEN, B. J., BETTELHEIM, K. A. and WILSON, M. W. Investigation into an outbreak of food poisoning 327

COLLING, IDA KERR, A., MAXTED, W. R. and WIDDOWSON, JEAN P. Streptococcal infection in a Junior Detention Centre: a five-year study . . . 331

HEALING, T. D., KAPLAN, C. and PRIOR, ANNE. A note on some Enterobacteriaceae from the faeces of small wild British mammals 343

DOLBY, JEAN M., HONOUR, PAULINE and ROWLAND, M. G. M. Bacteriostasis of *Escherichia coli* by milk. V. The bacteriostatic properties of milk of West African mothers in The Gambia: in-vitro studies 347

SMITHER, R., LOTT, A. F., DALZIEL, R. W. and OSTLER, D. C. Antibiotic residues in meat in the United Kingdom; an assessment of specific tests to detect and identify antibiotic residues 359

ROBERTS, T. A., MACFIE, H. J. H. and HUDSON, W. R. The effect of incubation temperature and site of sampling on assessment of the numbers of bacteria on red meat carcasses at commercial abattoirs 371

CRADOCK-WATSON, J. E., RIDEHALGH, MARGARET K. S., ANDERSON, MARY J., PATTISON, J. R. and KANGRO, H. O. Fetal infection resulting from maternal rubella after the first trimester of pregnancy 381

MACKINTOSH, C. A. and LIDWELL, O. M. The evaluation of fabrics in relation to their use as protective garments in nursing and surgery. III. Wet penetration and contact transfer of particles through clothing 393

ROWLAND, M. G. M., COLE, T. J., TULLY, MAURA, DOLBY, JEAN M. and HONOUR, PAULINE. Bacteriostasis of *Escherichia coli* by milk. VI. The in-vitro bacteriostatic property of Gambian mothers' breast milk in relation to the in-vivo protection of their infants against diarrhoeal disease 405

TIGERTT, W. D. Anthrax. William Smith Greenfield, M.D., F.R.C.P., Professor Superintendent, The Brown Animal Sanatory Institution (1878–81). Concerning the priority due to him for the production of the first vaccine against anthrax 415

MATHUR, R. P. and PRAKASH, I. Laboratory evaluation of anticoagulant-treated baits for control of the northern palm squirrel, *Funambulus pennanti* Wroughton 421

SKIRROW, M. B. and BENJAMIN, J. '1001' Campylobacters: cultural characteristics of intestinal campylobacters from man and animals 427

GILL, J. E. and REDFERN, R. Laboratory trials of seven rodenticides for use against the cotton rat (*Sigmodon hispidus*) 443

CLIFF, A. D. and HAGGETT, P. Changes in the seasonal incidence of measles in Iceland, 1896–1974 451